



Certified Environmental Radon Services

P.O. BOX 727
Farmingdale, NJ 07727
Phone 732-534-4892
FAX 732-534-4893

NJDEP Radon Laboratory License 13035
NJDEP Radon Measurement Business License MEB 94012
NRPP Charcoal Canister AC-8303

Radon Test Result:

Helping Hands Childcare Center
300 Pleasant Valley Way
West Orange, NJ 07052

Test Dates: September 5, 2023 to September 7, 2023

Test Canister Number	Location	Radon pCi/l
N129090	Room 1	0.7
N129091	Room 1 - Duplicate	1.2
N129092	Room 3	0.8
N129093	Room 3 - Blank	0.0
N129094	Room 5	0.8
N129105	Room 6/8	0.9
N129106	Room 12	0.9
N129107	Room 10	0.7
N129108	Room 2/4	0.6

Jason Elliott

MES13784

This notice is provided to you by an organization or individual certified by the NJDEP to perform radon gas or radon progeny testing measurements. NJSA 26:2D-73 requires that no certified person disclose to anyone except the DEP or the department of health the address or owners of a nonpublic building that the person has tested or treated for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of environmental radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we at Certified Environmental Radon Services, and all of our licensed professional technicians, make every effort to maintain quality control including duplicate canister tests, blanks and "spiked" detectors, we make no warranty of any kind, either expressed or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that the radon concentration fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

Please visit Njradon.org for more information regarding radon.



Certified Environmental Radon Services

P.O. BOX 727
Farmingdale, NJ 07727
732-534-4892
FAX 732-534-4893

NJDEP Radon Laboratory License 13035
NJDEP Radon Measurement Business License MEB 94012
NRPP Charcoal Canister AC-8303

Radon Test Result:

Sep 12, 2023

HELPING HANDS' CHILDCARE CENTER
300 PLEASANT VALLEY WAY MAIL TO:
WEST ORANGE/WEST ORANGE (ESS)
NJ 07052

Test Serial Number: N129090

Exposure Start Time & Date: 11:50 09-05-23
Exposure Stop Time & Date: 11:14 09-07-23

Measurement Time & Date: 09:54 9-12-23 = Original Report Date

DMR Input: 4
Exposure Time: 47.400 hours
Background Counts: 93.904
Counting Time: 600 seconds
Gross Counts: 857
Canister Weight: Initial/Final 70.7 / 74.6 grams

Radon Concentration: 0.7 pCi/l (picocuries per liter)

(Lab Use Only): Comments:
1;NRC;S;CH;S;
E;10775;ROOM 1;

(0=Basement)
(1=First Floor)
(2=Higher)

Jason Elliott

MES13784

This notice is provided to you by an organization or individual certified by the NJDEP to perform radon gas or radon progeny testing measurements. NJS A 26:2D-73 requires that no certified person disclose to anyone except the DEP or the department of health the address or owners of a nonpublic building that the person has tested or treated for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of environmental radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we at Certified Environmental Radon Services, and all of our licensed professional technicians, make every effort to maintain quality control including duplicate canister tests, blanks and "spiked" detectors, we make no warranty of any kind, either expressed or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that the radon concentration fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

Please visit NJradon.org for more information regarding radon.



Certified Environmental Radon Services

P.O. BOX 727
Farmingdale, NJ 07727
732-534-4892
FAX 732-534-4893

NJDEP Radon Laboratory License 13035
NJDEP Radon Measurement Business License MEB 94012
NRPP Charcoal Canister AC-8303

Radon Test Result:

Sep 12, 2023

HELPING HANDS' CHILDCARE CENTER
300 PLEASANT VALLEY WAY MAIL TO:
WEST ORANGE/WEST ORANGE (ESS)
NJ 07052

Test Serial Number: N129091

Exposure Start Time & Date: 11:51 09-05-23
Exposure Stop Time & Date: 11:15 09-07-23

Measurement Time & Date: 10:07 9-12-23 = Original Report Date

DMR Input: 4
Exposure Time: 47.400 hours
Background Counts: 93.904
Counting Time: 600 seconds
Gross Counts: 908
Canister Weight: Initial/Final 69.4 / 73.3 grams

Radon Concentration: 1.2 pCi/l (picocuries per liter)

(Lab Use Only): Comments:
1D;NRC;S;CH;S;
E;10775;ROOM 1;

(0=Basement)
(1=First Floor)
(2=Higher)

Jason Elliott

MES13784

This notice is provided to you by an organization or individual certified by the NJDEP to perform radon gas or radon progeny testing measurements. NISA 26:2D-73 requires that no certified person disclose to anyone except the DEP or the department of health the address or owners of a nonpublic building that the person has tested or treated for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of environmental radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we at Certified Environmental Radon Services, and all of our licensed professional technicians, make every effort to maintain quality control including duplicate canister tests, blanks and "spiked" detectors, we make no warranty of any kind, either expressed or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that the radon concentration fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

Please visit NJradon.org for more information regarding radon.



Certified Environmental Radon Services

P.O. BOX 727
Farmingdale, NJ 07727
732-534-4892
FAX 732-534-4893

NJDEP Radon Laboratory License 13035
NJDEP Radon Measurement Business License MEB 94012
NRPP Charcoal Canister AC-8303

Radon Test Result:

Sep 12, 2023

HELPING HANDS' CHILDCARE CENTER
300 PLEASANT VALLEY WAY MAIL TO:
WEST ORANGE/WEST. ORANGE (ESS)
NJ 07052

Test Serial Number: N129092

Exposure Start Time & Date: 11:52 09-05-23
Exposure Stop Time & Date: 11:16 09-07-23

Measurement Time & Date: 10:23 9-12-23 = Original Report Date

DMR Input: 4
Exposure Time: 47.400 hours
Background Counts: 93.904
Counting Time: 600 seconds
Gross Counts: 881
Canister Weight: Initial/Final 69.3 / 72.1 grams

Radon Concentration: 0.8 pCi/l (picocuries per liter)

(Lab Use Only): Comments:
1;NRC;S;CH;S;
E;10775;ROOM 3;

(0=Basement)
(1=First Floor)
(2=Higher)

Jason Elliott 

MES13784

This notice is provided to you by an organization or individual certified by the NJDEP to perform radon gas or radon progeny testing measurements. NISA 26:2D-73 requires that no certified person disclose to anyone except the DEP or the department of health the address or owners of a nonpublic building that the person has tested or treated for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of environmental radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we at Certified Environmental Radon Services, and all of our licensed professional technicians, make every effort to maintain quality control including duplicate canister tests, blanks and "spiked" detectors, we make no warranty of any kind, either expressed or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that the radon concentration fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

Please visit NJradon.org for more information regarding radon.



Certified Environmental Radon Services

P.O. BOX 727
Farmingdale, NJ 07727
732-534-4892
FAX 732-534-4893

NJDEP Radon Laboratory License 13035
NJDEP Radon Measurement Business License MEB 94012
NRPP Charcoal Canister AC-8303

Radon Test Result:

Sep 12, 2023

HELPING HANDS CHILDCARE CENTER
300 PLEASANT VALLEY WAY MAIL TO:
WEST ORANGE/WEST ORANGE (ESS)
NJ 07052

Test Serial Number: N129093

Exposure Start Time & Date: 11:53 09-05-23
Exposure Stop Time & Date: 11:17 09-07-23

Measurement Time & Date: 10:47 9-12-23 = Original Report Date

DMR Input: 4
Exposure Time: 47.400 hours
Background Counts: 93.904
Counting Time: 600 seconds
Gross Counts: 850
Canister Weight: Initial/Final 70.2 / 70.2 grams

Radon Concentration: 0.0 pCi/l (picocuries per liter)

(Lab Use Only): Comments:
1B;NRC;S;CH;S;
E;10775;ROOM 3;

(0=Basement)
(1=First Floor)
(2=Higher)

Jason Elliott 

MES13784

This notice is provided to you by an organization or individual certified by the NJDEP to perform radon gas or radon progeny testing measurements. NJSA 26:2D-73 requires that no certified person disclose to anyone except the DEP or the department of health the address or owners of a nonpublic building that the person has tested or treated for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of environmental radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we at Certified Environmental Radon Services, and all of our licensed professional technicians, make every effort to maintain quality control including duplicate canister tests, blanks and "spiked" detectors, we make no warranty of any kind, either expressed or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that the radon concentration fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

Please visit NJradon.org for more information regarding radon.



Certified Environmental Radon Services

P.O. BOX 727
Farmingdale, NJ 07727
732-534-4892
FAX 732-534-4893

NJDEP Radon Laboratory License 13035
NJDEP Radon Measurement Business License MEB 94012
NRPP Charcoal Canister AC-8303

Radon Test Result:

Sep 12, 2023

HELPING HANDS' CHILDCARE CENTER
300 PLEASANT VALLEY WAY MAIL TO:
WEST ORANGE/WEST ORANGE (ESS)
NJ 07052

Test Serial Number: N129094

Exposure Start Time & Date:	11:54	09-05-23
Exposure Stop Time & Date:	11:18	09-07-23
Measurement Time & Date:	11:30	9-12-23 = Original Report Date

DMR Input: 4
Exposure Time: 47.400 hours
Background Counts: 93.904
Counting Time: 600 seconds
Gross Counts: 893
Canister Weight: Initial/Final 69.2 / 71.6 grams

Radon Concentration: 0.8 pCi/l (picocuries per liter)

(Lab Use Only): Comments:
1;NRC;S;CH;S;
E;10775;ROOM 5;

(0=Basement)
(1=First Floor)
(2=Higher)

Jason Elliott

MES13784

This notice is provided to you by an organization or individual certified by the NJDEP to perform radon gas or radon progeny testing measurements. NISA 26:2D-73 requires that no certified person disclose to anyone except the DEP or the department of health the address or owners of a nonpublic building that the person has tested or treated for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of environmental radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we at Certified Environmental Radon Services, and all of our licensed professional technicians, make every effort to maintain quality control including duplicate canister tests, blanks and "spiked" detectors, we make no warranty of any kind, either expressed or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that the radon concentration fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

Please visit NJradon.org for more information regarding radon.



Certified Environmental Radon Services

P.O. BOX 727
Farmingdale, NJ 07727
732-534-4892
FAX 732-534-4893

NJDEP Radon Laboratory License 13035
NJDEP Radon Measurement Business License MEB 94012
NRPP Charcoal Canister AC-8303

Radon Test Result:

Sep 12, 2023

HELPING HANDS CHILDCARE CENTER
300 PLEASANT VALLEY WAY MAIL TO:
WEST ORANGE/WEST ORANGE (ESS)
NJ 07052

Test Serial Number: N129105

Exposure Start Time & Date: 11:55 09-05-23
Exposure Stop Time & Date: 11:19 09-07-23

Measurement Time & Date: 11:54 9-12-23 = Original Report Date

DMR Input: 4
Exposure Time: 47.400 hours
Background Counts: 93.904
Counting Time: 600 seconds
Gross Counts: 890
Canister Weight: Initial/Final 68.4 / 71.4 grams

Radon Concentration: 0.9 pCi/l (picocuries per liter)

(Lab Use Only): Comments:
1;NRC;S;CH;S;
E;10775;ROOM 6/8;

(0=Basement)
(1=First Floor)
(2=Higher)

Jason Elliott 

MES13784

This notice is provided to you by an organization or individual certified by the NJDEP to perform radon gas or radon progeny testing measurements. N.J.S.A. 26:2D-73 requires that no certified person disclose to anyone except the DEP or the department of health the address or owners of a nonpublic building that the person has tested or treated for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of environmental radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we at Certified Environmental Radon Services, and all of our licensed professional technicians, make every effort to maintain quality control including duplicate canister tests, blanks and "spiked" detectors, we make no warranty of any kind, either expressed or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that the radon concentration fluctuates greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

Please visit NJradon.org for more information regarding radon.



Certified Environmental Radon Services

P.O. BOX 727
Farmingdale, NJ 07727
732-534-4892
FAX 732-534-4893

NJDEP Radon Laboratory License 13035
NJDEP Radon Measurement Business License MEB 94012
NRPP Charcoal Canister AC-8303

Radon Test Result:

Sep 12, 2023

HELPING HANDS' CHILDCARE CENTER
300 PLEASANT VALLEY WAY MAIL TO:
WEST ORANGE/WEST ORANGE (ESS)
NJ 07052

Test Serial Number: N129106

Exposure Start Time & Date: 11:56 09-05-23
Exposure Stop Time & Date: 11:20 09-07-23

Measurement Time & Date: 12:06 9-12-23 = Original Report Date

DMR Input: 4
Exposure Time: 47.400 hours
Background Counts: 93.904
Counting Time: 600 seconds
Gross Counts: 896
Canister Weight: Initial/Final 70.2 / 73.1 grams

Radon Concentration: 0.9 pCi/l (picocuries per liter)

(Lab Use Only): Comments:
1;NRC;S;CH;S;
E;10775;ROOM 12;

(0=Basement)
(1=First Floor)
(2=Higher)

Jason Elliott

MES13784

This notice is provided to you by an organization or individual certified by the NJDEP to perform radon gas or radon progeny testing measurements. NUSA 26:2D-73 requires that no certified person disclose to anyone except the DEP or the department of health the address or owners of a nonpublic building that the person has tested or treated for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of environmental radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we at Certified Environmental Radon Services, and all of our licensed professional technicians, make every effort to maintain quality control including duplicate canister tests, blanks and "spiked" detectors, we make no warranty of any kind, either expressed or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that the radon concentration fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

Please visit NJradon.org for more information regarding radon.



Certified Environmental Radon Services

P.O. BOX 727
Farmingdale, NJ 07727
732-534-4892
FAX 732-534-4893

NJDEP Radon Laboratory License 13035
NJDEP Radon Measurement Business License MEB 94012
NRPP Charcoal Canister AC-8303

Radon Test Result:

Sep 12, 2023

HELPING HANDS' CHILDCARE CENTER
300 PLEASANT VALLEY WAY MAIL TO:
WEST ORANGE/WEST ORANGE (ESS)
NJ 07052

Test Serial Number: N129107

Exposure Start Time & Date: 11:57 09-05-23
Exposure Stop Time & Date: 11:21 09-07-23

Measurement Time & Date: 12:22 9-12-23 = Original Report Date

DMR Input: 4
Exposure Time: 47.400 hours
Background Counts: 93.904
Counting Time: 600 seconds
Gross Counts: 832
Canister Weight: Initial/Final 68.5 / 70.1 grams

Radon Concentration: 0.7 pCi/l (picocuries per liter)

(Lab Use Only): Comments:
1;NRC;S;CH;S;
E;10775;ROOM 10;

(0=Basement)
(1=First Floor)
(2=Higher)

Jason Elliott 

MES13784

This notice is provided to you by an organization or individual certified by the NJDEP to perform radon gas or radon progeny testing measurements. NJSA 26:2D-73 requires that no certified person disclose to anyone except the DEP or the department of health the address or owner's of a nonpublic building that the person has tested or treated for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of environmental radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we at Certified Environmental Radon Services, and all of our licensed professional technicians, make every effort to maintain quality control including duplicate canister tests, blanks and "spiked" detectors, we make no warranty of any kind, either expressed or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that the radon concentration fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

Please visit NJradon.org for more information regarding radon.



Certified Environmental Radon Services

P.O. BOX 727
Farmingdale, NJ 07727
732-534-4892
FAX 732-534-4893

NJDEP Radon Laboratory License 13035
NJDEP Radon Measurement Business License MEB 94012
NRPP Charcoal Canister AC-8303

Radon Test Result:

Sep 12, 2023

HELPING HANDS, CHILDCARE CENTER
300 PLEASANT VALLEY WAY MAIL TO:
WEST ORANGE/WEST ORANGE (ESS)
NJ. 07052

Test Serial Number: N129108

Exposure Start Time & Date: 11:58 09-05-23
Exposure Stop Time & Date: 11:22 09-07-23

Measurement Time & Date: 13:52 9-12-23 = Original Report Date

DMR Input: 4
Exposure Time: 47.400 hours
Background Counts: 93.904
Counting Time: 600 seconds
Gross Counts: 902
Canister Weight: Initial/Final 70.1 / 73.9 grams

Radon Concentration: 0.6 pCi/l (picocuries per liter)

(Lab Use Only): Comments:
1;NRC;S;CH;S;
E;10775;ROOM 2/4;

(0=Basement)
(1=First Floor)
(2=Higher)

Jason Elliott

MES13784

This notice is provided to you by an organization or individual certified by the NJDEP to perform radon gas or radon progeny testing measurements. NISA 26:2D-73 requires that no certified person disclose to anyone except the DEP or the department of health the address or owners of a nonpublic building that the person has tested or treated for the presence of radon gas or radon progeny, unless the owner of the building waives in writing this right of confidentiality. In the case of prospective sale of a building that has been tested for radon gas or progeny, the seller shall provide the buyer at the time the contract of sale is entered into, with a copy of the results of that test and evidence of any subsequent mitigation or treatment. Any prospective buyer who contracts for the testing shall have the right to receive the results of that testing. Any questions, comments or complaints regarding the persons performing these measurements, or related mitigation, or safeguarding services, should be directed to the NJDEP, Attn: Radon Section, Bureau of environmental radiation, at 1-800-648-0394.

LIMITATION OF LIABILITY: While we at Certified Environmental Radon Services, and all of our licensed professional technicians, make every effort to maintain quality control including duplicate canister tests, blanks and "spiked" detectors, we make no warranty of any kind, either expressed or implied, for the consequences of false test results. Before any remediation action is taken, it is important that follow-up tests be conducted in accordance with USEPA protocols and NJDEP regulations. It is well known that the radon concentration fluctuate greatly under changing weather conditions. Furthermore, radon tests cannot be CERTIFIED, since there is no chain of custody of the test kit, and the "closed-house" conditions cannot be monitored continuously.

Please visit NJradon.org for more information regarding radon.